



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Fri, 16 Feb 2007, 12:03:06 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|-----|---|
| #1 | ((encode document) and (decode document) and validation and text and attribute and query)<in>metadata) |
| #2 | ((encode and extract and element and attribute and text and value and structure)<in>metadata) |
| #3 | ((element and attribute and (extract or extracting or extracts or remove) and register and (encode and decode))<in>metadata) |
| #4 | ((encode and decode)<in>metadata) |
| #5 | ((encode and decode<in>metadata) <and> (validation<in>metadata))<and> (extract or remove<in>metadata) |
| #6 | ((encode and decompose and element and attribute and text and value<in>metadata) <and> (validation<in>metadata))<and> (register<in>metadata) |
| #7 | ((query and validation<in>metadata) <and> ((definition file) or dtd<in>metadata))<and> (encode and decode<in>metadata) |
| #8 | (((validate and structure<in>metadata) <and> ((id or identification) and encode and decode<in>metadata))<and> (attribute and value and element<in>metadata) |
| #9 | (((encoded document<in>metadata) <and> (structure and id<in>metadata)) <and> (text and decoded document<in>metadata) |
| #10 | (((partial structure<in>metadata) <and> (text content<in>metadata))<and> (element and attribute<in>metadata) |

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L42 | 142 | 710/55.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 13:29 |
| L41 | 654 | 709/247.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 13:29 |
| L40 | 1330 | 715/500.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 13:29 |
| L39 | 1 | (element same attribute same text same value same structure) and (incorporat\$4 attach\$4) with valid\$6 with (encod\$4 compress\$4) with (xml document sgml data file) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 13:26 |
| S69 | 171 | (structure dtd) with without with (duplicat\$4 repeat\$4 repet\$5) with (element attribute value) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:27 |
| S47 | 308 | (element same attribute same text same value same structure) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:27 |
| L38 | 177 | (structure dtd) with without with (duplicat\$4 repeat\$4 repet\$5) with (element attribute value) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:27 |
| L37 | 45 | (decod\$4 encod\$4) with (document file data) with reproduc\$4 with representation | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:27 |
| L34 | 45 | (decod\$4 encod\$4) with (document file data) with reproduc\$4 with representation | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:27 |
| S52 | 14 | validat\$4 same compliance same predetermined same (type dtd) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:26 |
| S46 | 40 | (incorporat\$4 attach\$4) with valid\$6 with (encod\$4 compress\$4) with (xml document sgml data file) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:26 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S41 | 3 | (xml sgml) and (validat\$4 with (element\$2 attribute\$2) with complian\$4 with (type dtd)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:26 |
| S28 | 44 | (decod\$4 encod\$4) with (document file data) with reproduc\$4 with representation | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:26 |
| S26 | 6 | decod\$4 with encod\$4 with (document file data) with reproduc\$4 with representation | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:26 |
| L36 | 17 | validat\$4 same compliance same predetermined same (type dtd) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:26 |
| L35 | 44 | (incorporat\$4 attach\$4) with valid\$6 with (encod\$4 compress\$4) with (xml document sgml data file) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:26 |
| L33 | 3 | (xml sgml) and (validat\$4 with (element\$2 attribute\$2) with complian\$4 with (type dtd)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:26 |
| L32 | 6 | decod\$4 with encod\$4 with (document file data) with reproduc\$4 with representation | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:26 |
| L31 | 0 | text same validation same content same compliance same element same query same attribute | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:25 |
| L30 | 0 | decod\$4 same decompos\$4 same extract\$4 same element same attribute same text same value same structure | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:24 |
| L29 | 3 | encod\$4 same (element and attribute) same extract\$4 same register\$4 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:23 |
| L28 | 0 | decod\$4 same validat\$4 same structure same encod\$4 same ((definition near3 file) dtd) same error | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:15 |
| L27 | 22 | 24 and (encod\$4 same representation same structure) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:14 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| L26 | 48 | 24 and (decod\$4 same validation) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 11:00 |
| L25 | 0 | 24 and (encod\$4 same element same attribute same (extract\$4 remov\$4) same register\$4) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 10:57 |
| L24 | 735 | (encod\$4 and decod\$4 and validation and structure and (element attribute) and (extract\$4 remov\$4) and register\$4 and value and text and element and attribute and query and representation) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 10:56 |
| | | (encod\$ and decod\$4 and validation and structure and (element attribute) and (extract\$4 remov\$4) and register\$4 and value and text and element and attribute and query and and representation) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 10:55 |
| | | (encod\$4 and decod\$4 and validation and structure and (element attribute) and (extract\$4 remov\$4) and register\$4 and value and text and element and attribute and query and and representation) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 10:55 |
| | | (encod\$ and decod\$4 and validation and structure and (element attribute) and (extract\$4 remov\$4) and register\$4 and value and text and element and attribute and query and and representation) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 10:54 |
| S1 | 342 | encod\$4 and decod\$4 and valid\$7 and (without near4 duplicat\$5) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 10:52 |
| S22 | 0 | 707/103.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 08:52 |
| L6 | 1768 | 707/103,103R,103Y.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 08:52 |
| L5 | 3217 | 715/513,516.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 08:52 |

EAST Search History

| | | | | | | |
|-----|-------|-----------------------|---|----|----|------------------|
| S24 | 2985 | 715/513,516.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 08:51 |
| S21 | 6804 | 707/100-101.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 08:51 |
| L4 | 7389 | 707/100-101.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 08:51 |
| L3 | 554 | 2 and @ad<="20030331" | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 08:49 |
| L2 | 633 | 1 and satoru | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 08:49 |
| L1 | 58870 | fujita.inv. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/02/16 08:43 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|----------|------------------|---------|------------------|
| L7 | 1 | (encod\$4 and decod\$4 and ((data document) near3 structure\$2) and valid\$6 and partial and element and attribute\$2 and (text content) and syntax and (id\$2 identification) and child\$4 and symbol).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:46 |
| L8 | 3 | ((decod\$4 encod\$4) with (document file data) with reproduc\$4 with representation).CLM. | US-PGPUB | OR | ON | 2007/02/16 08:58 |
| L9 | 12 | (encod\$4 and decod\$4 and valid\$7 and (element\$2 and attribute\$2)).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:21 |
| L10 | 1 | (decod\$4 with encod\$4 with (document file data) with reproduc\$4 with representation).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:21 |
| L11 | 7 | ((structure dtd) with without with (duplicat\$4 repeat\$4 repet\$5) with (element attribute value)).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:23 |
| L12 | 1 | (validat\$4 same compliance same predetermined same (structure)).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:24 |
| L13 | 0 | (validat\$4 same compliant same predetermined same (type dtd)).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:24 |
| L14 | 7 | (validat\$4 with predefined with (type dtd)).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:32 |
| L15 | 203 | (decod\$4 with encod\$4 with (document file data) with reproduc\$4).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:32 |
| L16 | 1 | (encod\$4 and decod\$4 and ((data document) near3 structure\$2) and valid\$6 and partial and element and attribute\$2 and (text content) and syntax).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:33 |
| L17 | 1 | (encod\$4 and decod\$4 and valid\$7 and (without near4 duplicat\$5) and ((encod\$4 decod\$4) with (file data document))).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:38 |
| L18 | 0 | ((xml sgml) and (validat\$4 with (element\$2 attribute\$2) with complian\$4 with (type dtd))).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:38 |
| L19 | 1 | ((validat\$4 with (element\$2 attribute\$2) with complian\$4 with (type dtd))).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:39 |
| L20 | 1 | (validat\$4 same compliance same predetermined same (structure)).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:39 |

EAST Search History

| | | | | | | |
|-----|----|---|----------|----|----|------------------|
| L21 | 12 | (encod\$4 and decod\$4 and valid\$7 and (element\$2 and attribute\$2)).CLM. | US-PGPUB | OR | ON | 2007/02/16 09:45 |
| L22 | 2 | ((element same attribute same text same value same structure)).CLM. | US-PGPUB | OR | ON | 2007/02/16 10:39 |
| L23 | 4 | (encod\$4 and decod\$4 and valid\$6 and structure and (element attribute) and (extract\$4 remov\$4) and register\$4).CLM. | US-PGPUB | OR | ON | 2007/02/16 10:41 |